

Package ‘genomeIntervals’

September 24, 2012

Version 1.12.0

Date 2012-03-06

Type Package

Title Operations on genomic intervals

Author Julien Gagneur <gagneur@embl.de>, Joern Toedling, Richard Bourgon, Nicolas Delhomme

Maintainer Julien Gagneur <gagneur@embl.de>

Depends R (>= 2.15.0), methods, intervals (>= 0.13.3), BiocGenerics (>= 0.1.11)

Imports methods, Biobase

Suggests

Description This package defines classes for representing genomic intervals and provides functions and methods for working with these.

Note: The package provides the basic infrastructure for and is enhanced by the package ‘girafe’.

License Artistic-2.0

Collate Genome_intervals-class.R show-methods.R size-methods.R c.R
core_annotated.R distance_to_nearest-methods.R
interval_complement-methods.R interval_overlap-methods.R
interval_intersection-methods.R interval_union-methods.R parseGffAttributes.R readGff3.R

biocViews DataImport, Infrastructure, Genetics

LazyLoad yes

R topics documented:

genomeIntervals-package	2
c	3
core_annotated	4
distance_to_nearest	5
GenomeIntervals	6
Genome_intervals-class	7
Genome_intervals_stranded-class	9
gen_ints	11
getGffAttribute	11

interval_overlap	12
interval_union	13
parseGffAttributes	15
readGff3	16

Index 18

genomeIntervals-package

Operations on genomic intervals

Description

Tools for operation on genomic intervals.

Details

Package: genomeIntervals
 Version: 1.11.1
 Date: 2012-03-06
 Type: Package
 Depends: R (>= 2.15.0), intervals (>= 0.13.3), BiocGenerics, methods
 Suggests:
 License: Artistic 2.0
 BiocViews: DataImport, Infrastructure, Genetics
 LazyLoad: yes

Index:

[Genome_intervals](#) Class "Genome_intervals"
[Genome_intervals_stranded](#) Class "Genome_intervals_stranded"
[distance_to_nearest](#) Distance in bases to the closest interval(s)
[gen_ints](#) Genome Intervals examples
[getGffAttribute](#) Pull one or more key/value pairs from gffAttributes strings
[interval_overlap](#) Assess overlap from one set of genomic intervals to another
[interval_complement](#) Compute the complement of a set of genomic intervals
[interval_intersection](#) Compute the intersection of one or more sets of genomic intervals
[interval_union](#) Compute the union of genomic intervals in one or more genomic interval matrices
[parseGffAttributes](#) Parse out the gffAttributes column of a Genome_intervals object
[readGff3](#) Make a Genome_intervals_stranded object from a GFF file

Author(s)

Julien Gagneur <gagneur@embl.de>, Richard Bourgon, Joern Toedling, Nicolas Delhomme.

Maintainer: Julien Gagneur <gagneur@embl.de>

See Also

[intervals](#)

c

Combine genome intervals objects

Description

S3 methods for combining several genome intervals into a single one.

Usage

```
## S3 method for class 'Genome_intervals'  
c(...)  
## S3 method for class 'Genome_intervals_stranded'  
c(...)
```

Arguments

... [Genome_intervals](#) or [Genome_intervals_stranded](#) objects.

Details

If the arguments have mixed classes (both [Genome_intervals](#) or [Genome_intervals_stranded](#)), then they are coerced to [Genome_intervals](#) before combination. Otherwise, the common class is used.

Value

A single [Genome_intervals](#) or [Genome_intervals_stranded](#) object. Input objects are combined in their order of appearance in the the argument list.

If any input argument is not a [Genome_intervals](#), `list(...)` is returned instead.

Note

These methods will be converted to S4 once the necessary dispatch on ... is supported.

Examples

```
# load toy examples  
data("gen_ints")  
  
# combine i and j returns a Genome_intervals_stranded object  
c( i, j )  
  
# combine a not-stranded and a stranded returns a not-stranded object  
c( as(i, "Genome_intervals"), j )
```

core_annotated	<i>Genome intervals with minimal annotation</i>
----------------	---

Description

returns a copy of the input (stranded) genome intervals object with annotations restricted to the minimally required ones.

Usage

```
core_annotated(x)
```

Arguments

x A [Genome_intervals](#) or [Genome_intervals_stranded](#) object.

Value

A copy of x with the annotation slot restricted to seq_name, inter_base and strand (the latter only if x is a [Genome_intervals_stranded](#) object).

Examples

```
# load toy examples
data("gen_ints")

# add some non-core annotations to i
annotation(i)$comment = "some non-core annotation"

# i with all annotations
i

# core annotations only
core_annotated(i)

## Not run:
# with different annotation columns, i and j cannot be combined
c( i, j )

## End(Not run)

# core annotated versions can
c( core_annotated(i), core_annotated(j) )
```

distance_to_nearest *Distance in bases to the closest interval(s)*

Description

Given two objects, from and to, compute the distance in bases of each from interval to the nearest to interval(s). The distance between a base and the next inter-bases on either side values 0.5. Thus, base - base and inter-base - inter-base intervals distances are integer, whereas base - inter-base intervals distances are half-integers.

Usage

```
## S4 method for signature 'Genome_intervals,Genome_intervals'
distance_to_nearest(from, to)
## S4 method for signature 'Genome_intervals_stranded,Genome_intervals_stranded'
distance_to_nearest(from, to)
```

Arguments

from A [Genome_intervals](#) or [Genome_intervals_stranded](#) object.
to A [Genome_intervals](#) or [Genome_intervals](#) object.

Details

A wrapper calling [intervals::distance_to_nearest](#) by seq_name and by strand (if both from and to are [Genome_intervals_stranded](#) objects). Thus, if both are stranded, distances are computed over each strand separately. One object must be coerced to [Genome_intervals](#) if this is not wished.

Value

A numeric vector of distances with one element for each row of from.

See Also

[intervals::distance_to_nearest](#)

Examples

```
## load toy examples
data(gen_ints)

## i in close_intervals notation
close_intervals(i)

## j in close_intervals notation
close_intervals(j)

## distances from i to j
dn = distance_to_nearest(i,j)
dn

## distance == 0 if and only if the interval overlaps another one:
```

```

io = interval_overlap(i,j)
if( any( ( sapply(io, length) >0 ) != (!is.na(dn) & dn ==0) ) )
  stop("The property 'distance == 0 if and only if the interval overlaps another one' is not followed for a

## distances without strand-specificity
distance_to_nearest(
  as(i,"Genome_intervals"),
  as(j,"Genome_intervals")
)

```

GenomeIntervals

Constructor function for genomeIntervals objects

Description

A user-friendly constructor function for creating both `Genome_intervals` and `Genome_intervals_stranded` objects.

Usage

```

GenomeIntervals(chromosome, start, end, strand = NULL,
  inter.base = NULL, leftOpen = NULL,
  rightOpen = NULL, ...)

```

Arguments

<code>chromosome</code>	character vector of chromosome names of the intervals; will become the <code>seq_names</code> of the resulting object
<code>start</code>	numeric or integer; start (left-most) coordinate of the intervals
<code>end</code>	numeric or integer; end (right-most) coordinate of the intervals
<code>strand</code>	character; specifies which strand the intervals are located on; if specified an object of class <code>Genome_intervals_stranded</code> is created; if <code>NULL</code> an object of class <code>Genome_intervals</code> is created
<code>inter.base</code>	logical; if <code>TRUE</code> an interval is located between the specified coordinates, instead of spanning them; useful for restriction-enzyme cutting sites, for example.
<code>leftOpen</code>	logical; if <code>TRUE</code> an interval is left-open; if <code>NULL</code> all intervals are assumed to be left-closed.
<code>rightOpen</code>	logical; if <code>TRUE</code> an interval is right-open; if <code>NULL</code> all intervals are assumed to be right-closed.
<code>...</code>	any additional annotation for supplied intervals

Details

The arguments `chromosome`, `start`, and `end` need to be of the same length, with the first element of each vector corresponding to the first interval, the second element to the second interval, and so on.

The same applies to `strand`, `inter.base`, `leftOpen`, `rightOpen` and any additional vectors in `'...'`, if they are specified.

Value

An object of class `Genome_intervals` or `Genome_intervals_stranded` depending on whether strand has been specified.

Author(s)

J. Toedling

See Also

[Genome_intervals-class](#), [Genome_intervals_stranded-class](#)

Examples

```
## constructing a Genome_intervals object
G <- GenomeIntervals(start=c(1,3,4,5,8,10), end=c(5,5,6,8,9,11),
  chromosome=rep(c("chr2","chrX","chr1"), each=2),
  leftOpen=rep(c(FALSE, FALSE, TRUE), 2))

show(G)

## constructing a Genome_intervals_stranded object with
## additional interval annotation
GS <- GenomeIntervals(start=c(1,3,4,5,8,10), end=c(5,5,6,8,9,11),
  chromosome=rep(c("chr2","chrX","chr1"), each=2),
  strand=c("-", "-", "+", "+", "+", "+"),
  GC.content=round(runif(6), digits=2))

show(GS)
```

`Genome_intervals-class`

Class "Genome\intervals"

Description

A set of genomic intervals without specified strand. Genomic intervals are intervals over the integers with two further annotations: `seq_name` (a chromosome or more generally a sequence of origin) and `inter_base` (logical) that states whether the interval is to be understood as an interval over bases (such as coding-sequence) or inter-bases (such as restriction sites or insertion positions).

Slots

`.Data`: See [Intervals_full](#)

`annotation`: A "data.frame" with the same number of rows as `.Data`. It has a column named `seq_name` that is a factor and does not contain missing values. `seq_name` is used to represent the chromosome or more generally the sequence of origin of the intervals. `annotation` has a column named `inter_base` that is logical and does not contain missing values. `inter_base` is FALSE if the interval is to be understood as an interval over bases (such as coding-sequence) and TRUE if it is over inter-bases (such as restriction site or an insertion position). Like base intervals, inter-base interval are encoded over the integers. An inter-base at position `n` indicates the space between base `n` and `n+1`.

`closed`: See [Intervals_full](#)

`type`: See [Intervals_full](#)

Extends

Class "[Intervals_full](#)", directly. Class "[Intervals_virtual](#)", by class "Intervals\full", distance 2. Class "[matrix](#)", by class "Intervals\full", distance 3. Class "[array](#)", by class "Intervals\full", distance 4. Class "[structure](#)", by class "Intervals\full", distance 5. Class "[vector](#)", by class "Intervals\full", distance 6, with explicit coerce.

Methods

```
[ signature(x = "Genome_intervals"): ...
[[ signature(x = "Genome_intervals"): ...
[[<- signature(x = "Genome_intervals"): ...
\[ signature(x = "Genome_intervals"): ...
\[<- signature(x = "Genome_intervals"): ...
annotation signature(object = "Genome_intervals"): ...
annotation<- signature(object = "Genome_intervals"): ...
coerce signature(from = "Genome_intervals", to = "Intervals_full"): ...
coerce signature(from = "Genome_intervals", to = "character"): ...
distance\to\nearest signature(from = "Genome_intervals", to = "Genome_intervals"): ...
...
inter\base signature(x = "Genome_intervals"): ...
inter\base<- signature(x = "Genome_intervals"): ...
interval\complement signature(x = "Genome_intervals"): ...
interval\intersection signature(x = "Genome_intervals"): ...
interval\overlap signature(from = "Genome_intervals", to = "Genome_intervals"): ...
interval\union signature(x = "Genome_intervals"): ...
seq\name signature(x = "Genome_intervals"): ...
seq\name<- signature(x = "Genome_intervals"): ...
size signature(x = "Genome_intervals"): ...
type<- signature(x = "Genome_intervals"): ...
```

Note

A Genome_intervals is a "[Intervals_full](#)" of type Z (i.e. a set of intervals over the integers). The annotation slot can carry further columns that can serve as annotations.

See Also

[Genome_intervals_stranded](#) for a derived class that allows stranded genomic intervals.

Examples

```
# The "Genome_intervals" class

i <- new(
  "Genome_intervals",
  matrix(
    c(1,2,
      3,5,
```



```

      4,6,
      8,9
    ),
    byrow = TRUE,
      ncol = 2
  ),
  closed = matrix(
    c(
      TRUE, FALSE,
      TRUE, FALSE,
      TRUE, TRUE,
      TRUE, FALSE
    ),
    byrow = TRUE,
      ncol = 2
    ),
  annotation = data.frame(
    seq_name = factor(c("chr01","chr01", "chr02","chr02")),
    inter_base = c(FALSE, FALSE, TRUE, TRUE)
  )
)

colnames(i) <- c( "start", "end" )

# print
print(i)

# size (number of bases per interval)
size(i)

## simpler way to construct a Genome_intervals object:
G <- GenomeIntervals(start=c(1,3,4,5,8,10), end=c(5,5,6,8,9,11),
  chromosome=rep(c("chr2","chrX","chr1"), each=2),
  leftOpen=rep(c(FALSE, FALSE, TRUE), 2))

show(G)

```

Genome_intervals_stranded-class

Class "Genome\intervals_stranded"

Description

A set of genomic intervals with a specified strand.

Slots

.Data: See [Genome_intervals](#)

annotation: A data.frame (see [Genome_intervals](#) for basic requirements). The annotation moreover has a strand column that is a factor with exactly two levels (typically "+" and "-").

closed: See [Genome_intervals](#)

type: See [Genome_intervals](#)

Extends

Class "[Genome_intervals](#)", directly. Class "[Intervals_full](#)", by class "Genome_intervals", distance 2. Class "[Intervals_virtual](#)", by class "Genome_intervals", distance 3. Class "[matrix](#)", by class "Genome_intervals", distance 4. Class "[array](#)", by class "Genome_intervals", distance 5. Class "[structure](#)", by class "Genome_intervals", distance 6. Class "[vector](#)", by class "Genome_intervals", distance 7, with explicit coerce.

Methods

```
coerce signature(from = "Genome_intervals_stranded", to = "character"): ...
distance_to_nearest signature(from = "Genome_intervals_stranded", to = "Genome_intervals_stranded")
...
interval_complement signature(x = "Genome_intervals_stranded"): ...
interval_intersection signature(x = "Genome_intervals_stranded"): ...
interval_overlap signature(to = "Genome_intervals_stranded", from = "Genome_intervals_stranded"):
...
interval_union signature(x = "Genome_intervals_stranded"): ...
strand signature(x = "Genome_intervals_stranded"): ...
strand<- signature(x = "Genome_intervals_stranded"): ...
```

See Also

[Genome_intervals](#) the parent class without strand.

Examples

```
# The "Genome_intervals_stranded" class
j <- new(
  "Genome_intervals_stranded",
  matrix(
    c(1,2,
      3,5,
      4,6,
      8,9
    ),
    byrow = TRUE,
      ncol = 2
  ),
  closed = matrix(
    c(
      FALSE, FALSE,
      TRUE, FALSE,
      TRUE, TRUE,
      TRUE, FALSE
    ),
    byrow = TRUE,
      ncol = 2
  ),
  annotation = data.frame(
    seq_name = factor( c("chr01", "chr01", "chr02", "chr02") ),
    strand = factor( c("+", "+", "+", "-") ),
    inter_base = c(FALSE, FALSE, FALSE, TRUE)
  )
)
```

```

    )
  )

  ## print
  print(j)

  ## size of each interval as count of included bases
  size(j)

  ## close intervals left and right (canonical representation)
  close_intervals(j)

  ## simpler way to construct a Genome_intervals_stranded object
  GS <- GenomeIntervals(start=c(1,3,4,5,8,10), end=c(5,5,6,8,9,11),
                        chromosome=rep(c("chr2", "chrX", "chr1"), each=2),
                        strand=c("-", "-", "+", "+", "+", "+") )

  show(GS)

```

gen_ints

Genome Intervals examples

Description

Toy examples for testing functions and running examples of the package genomeIntervals.

Usage

```
data(gen_ints)
```

Format

Two Genome_intervals_stranded objects, i and j, without inter-base intervals and a third one, k, with.

getGffAttribute

Pull one or more key/value pairs from gffAttributes strings

Description

GFF files contain a string, with key/value pairs separated by “;”, and the key and value separated by “=”. This function quickly extracts one or more key/value pairs.

Usage

```
getGffAttribute(gi, attribute)
```

Arguments

gi A [Genome_intervals](#) object.
attribute A vector of key names.

Value

A matrix with the same number of rows as `gi`, and one column per element of `attribute`.

See Also

See [parseGffAttributes](#) for more complete parsing. See the function [readGff3](#) for loading a GFF file.

Examples

```
# Get file path
libPath <- installed.packages()["genomeIntervals", "LibPath"]
filePath <- file.path(
  libPath,
  "genomeIntervals",
  "example_files"
)

# Load gff
gff <- readGff3( file.path( filePath, "sgd_simple.gff"), isRightOpen=FALSE)

## head of full gff annotations
head(annotation(gff))

# extract ID and Parent attributes
idpa = getGffAttribute( gff, c( "ID", "Parent" ) )

head(idpa)
```

interval_overlap

Assess overlap from one set of genomic intervals to another

Description

Given two objects, a 'from' and a 'to', assess which intervals in 'to' overlap which of 'from'.

Usage

```
## S4 method for signature 'Genome_intervals,Genome_intervals'
interval_overlap(
  from, to,
  check_valid = TRUE
)

## S4 method for signature 'Genome_intervals_stranded,Genome_intervals_stranded'
interval_overlap(
  from, to,
  check_valid = TRUE
)
```

Arguments

from A Genome_intervals or Genome_intervals_stranded object.
 to A Genome_intervals or Genome_intervals_stranded object.
 check_valid Should [validObject](#) be called before passing to compiled code?

Details

A wrapper calling [intervals:interval_overlap](#) by seq_name and by strand (if both to and from are "Genome_intervals_stranded" objects).

Value

A list, with one element for each row of from. The elements are vectors of indices, indicating which to rows overlap each from. A list element of length 0 indicates a from with no overlapping to intervals.

Examples

```
data(gen_ints)
# i as entered
i

# i in close_intervals notation
close_intervals(i)

# j in close_intervals notation
close_intervals(j)

# list of intervals of j overlapping intervals of i
interval_overlap(i,j)
```

interval_union	<i>Genome interval set operations</i>
----------------	---------------------------------------

Description

Compute interval set operations on "Genome_intervals" or "Genome_intervals_stranded" objects.

Usage

```
## S4 method for signature 'Genome_intervals'
interval_union(x, ...)
## S4 method for signature 'Genome_intervals_stranded'
interval_union(x, ...)

## S4 method for signature 'Genome_intervals'
interval_complement(x)
## S4 method for signature 'Genome_intervals_stranded'
interval_complement(x)
```

```
## S4 method for signature 'Genome_intervals'
interval_intersection(x,...)
## S4 method for signature 'Genome_intervals_stranded'
interval_intersection(x,...)
```

Arguments

`x` A "Genome_intervals" or "Genome_intervals_stranded" object.
`...` Optionally, additional objects of the same class as `x`.

Details

Wrappers calling the corresponding functions of the package `intervals` by same `seq_name`, `inter_base` and if needed `strand`. Note that the union of single input object `x` returns the reduced form of `x`, i.e. the interval representation of the covered set.

Value

A single object of appropriate class, representing the union, complement or intersection of intervals computed over entries with same `seq_name`, `inter_base` and also `strand` if all passed objects are of the class "Genome_intervals_stranded".

See Also

[interval_union](#), [interval_complement](#), [interval_intersection](#) and [reduce](#) from the package `intervals`.

Examples

```
## load toy examples
data(gen_ints)
## content of i object
i

## complement
interval_complement(i)

## reduced form (non-overlapping interval representation of the covered set)
interval_union(i)

## union
interval_union(i[1:2,], i[1:4,])

# map to genome intervals and union again
i.nostrand = as(i,"Genome_intervals")
interval_union(i.nostrand)

## intersection with a second object
# print i and j in closed interval notation
close_intervals(i)
close_intervals(j)

# interval_intersection
interval_intersection(i,j)
```

```
#interval intersection non-stranded
interval_intersection(i.nostrand, as(j, "Genome_intervals"))
```

parseGffAttributes *Parse out the gffAttributes column of a Genome\intervals object*

Description

GFF files contain a string, with key/value pairs separated by “;”, and the key and value separated by “=”. This function parses such strings into a list of vectors with named elements.

Usage

```
parseGffAttributes(gi)
```

Arguments

gi A [Genome_intervals](#) object.

Value

A list, with one element per row of gi. Each element is a character vector with named components. Names correspond to keys, and components correspond to values.

Note

Key/value pairs which are missing the “=” symbol, or which have nothing between it and the “;” delimiter or end of line, will generate a NA value, with a warning. Any key/value “pairs” with more than one “=” cause an error.

See Also

In many cases, [getGffAttribute](#), in this package, is easier and faster. See the function [readGff3](#) for loading a GFF file.

Examples

```
# Get file path
libPath <- installed.packages()["genomeIntervals", "LibPath"]
filePath <- file.path(
  libPath,
  "genomeIntervals",
  "example_files"
)

# Load gff and parse attributes
gff <- readGff3( file.path( filePath, "sgd_simple.gff"), isRightOpen = FALSE )
gfatt <- parseGffAttributes(gff)

head( gfatt )
```

`readGff3`*Make a `Genome_intervals_stranded` object from a GFF file*

Description

Make a `Genome_intervals_stranded` object from a gff file in gff3 format.

Usage

```
readGff3(file, isRightOpen=TRUE)
```

Arguments

<code>file</code>	The name of the gff file to read.
<code>isRightOpen</code>	Although a proper GFF3 file follows the convention of right-open intervals, improper GFF files following the right-closed convention are frequently found. Set <code>isRightOpen = FALSE</code> in this case.

Details

The file must follow gff3 format specifications as in <http://www.sequenceontology.org/gff3.shtml>. The file is read as a table. Meta-information (lines starting with `\#\#\`) are not parsed. A “.” in, for example, the gff file’s *score* or *frame* field will be converted to NA. When the GFF file follows the right-open interval convention (`isRightOpen` is TRUE), then GFF entries for which end base equals first base are recognized as zero-length features and loaded as `inter_base` intervals. Strand entries in the file are expected to be ‘.’, ‘?’ , ‘+’ or ‘-’. The two first are mapped to NA. It can be that `readGff3` is able to construct a `Genome_intervals_stranded` object from the input file, although not valid. A warning message is then generated and the constructed object is returned to allow inspection of it.

Value

A `Genome_intervals_stranded` object image of the gff file. The GFF3 fields `seqid`, `source`, `type`, `score`, `strand`, `phase` and `attributes` are stored in the annotation slot and renamed as `seq_name`, `source`, `type`, `score`, `strand`, `phase` and `gffAttributes` respectively.

Note

Potential FASTA entries at the end of the file are ignored.

See Also

The functions `getGffAttribute` and `parseGffAttributes` for parsing GFF attributes.

Examples

```
# Get file path
libPath <- installed.packages()["genomeIntervals", "LibPath"]
filePath <- file.path(
  libPath,
  "genomeIntervals",
```



```
        "example_files"
    )

# Load SGD gff
# SGD does not comply to the GFF3 right-open interval convention
gff <- readGff3( file.path( filePath, "sgd_simple.gff"), isRightOpen = FALSE)

head(gff,10)

head(annotation(gff),10)
```

Index

- *Topic **classes**
 - Genome_intervals-class, 7
 - Genome_intervals_stranded-class, 9
- *Topic **datasets**
 - gen_ints, 11
- *Topic **manip**
 - GenomeIntervals, 6
- *Topic **package**
 - genomeIntervals-package, 2
- [, Genome_intervals-method
 - (Genome_intervals-class), 7
- [<-, Genome_intervals, ANY, missing, Genome_intervals-method
 - (Genome_intervals-class), 7
- [[, Genome_intervals-method
 - (Genome_intervals-class), 7
- [[<-, Genome_intervals-method
 - (Genome_intervals-class), 7
- \$, Genome_intervals-method
 - (Genome_intervals-class), 7
- \$<-, Genome_intervals-method
 - (Genome_intervals-class), 7
- annotation, Genome_intervals-method
 - (Genome_intervals-class), 7
- annotation<-, Genome_intervals, ANY-method
 - (Genome_intervals-class), 7
- array, 8, 10
- c, 3
- coerce, Genome_intervals, character-method
 - (Genome_intervals-class), 7
- coerce, Genome_intervals, Intervals_full-method
 - (Genome_intervals-class), 7
- coerce, Genome_intervals_stranded, character-method
 - (Genome_intervals_stranded-class), 9
- core_annotated, 4
- core_annotated, Genome_intervals-method
 - (core_annotated), 4
- core_annotated, Genome_intervals_stranded-method
 - (core_annotated), 4
- distance_to_nearest, 2, 5
 - distance_to_nearest, Genome_intervals, Genome_intervals-method
 - (distance_to_nearest), 5
 - distance_to_nearest, Genome_intervals_stranded, Genome_intervals-method
 - (distance_to_nearest), 5
- gen_ints, 2, 11
 - Genome_intervals, 2-5, 9-11, 15
 - Genome_intervals-class, 7
 - Genome_intervals_stranded, 2-5, 8, 16
 - Genome_intervals_stranded-class, 9
 - GenomeIntervals, 6
 - GenomeIntervals-method
 - (genomeIntervals-package), 2
 - GenomeIntervals-constructor
 - (GenomeIntervals), 6
 - genomeIntervals-package, 2
 - getGffAttribute, 2, 11, 15, 16
 - i (gen_ints), 11
 - inter_base (Genome_intervals-class), 7
 - inter_base, Genome_intervals-method
 - (Genome_intervals-class), 7
 - inter_base<- (Genome_intervals-class), 7
 - inter_base<-, Genome_intervals-method
 - (Genome_intervals-class), 7
 - interval_complement, 2, 14
 - interval_complement (interval_union), 13
 - interval_complement, Genome_intervals-method
 - (interval_union), 13
 - interval_complement, Genome_intervals_stranded-method
 - (interval_union), 13
 - interval_intersection, 2, 14
 - interval_intersection (interval_union), 13
 - interval_intersection, Genome_intervals-method
 - (interval_union), 13
 - interval_intersection, Genome_intervals_stranded-method
 - (interval_union), 13
 - interval_overlap, 2, 12
 - interval_overlap, ANY, missing-method
 - (interval_overlap), 12
 - interval_overlap, Genome_intervals, Genome_intervals-method
 - (interval_overlap), 12

interval_overlap, Genome_intervals_stranded, Genome_intervals_stranded-method
(interval_overlap), 12

interval_overlap, missing, ANY-method
(interval_overlap), 12

interval_union, 2, 13, 14

interval_union, Genome_intervals-method
(interval_union), 13

interval_union, Genome_intervals_stranded-method
(interval_union), 13

intervals, 3

intervals::distance_to_nearest, 5

intervals::interval_overlap, 13

Intervals_full, 7, 8, 10

Intervals_virtual, 8, 10

j (gen_ints), 11

k (gen_ints), 11

matrix, 8, 10

parseGffAttributes, 2, 12, 15, 16

readGff3, 2, 12, 15, 16

reduce, 14

seq_name (Genome_intervals-class), 7

seq_name, Genome_intervals-method
(Genome_intervals-class), 7

seq_name<- (Genome_intervals-class), 7

seq_name<-, Genome_intervals-method
(Genome_intervals-class), 7

show, Genome_intervals-method
(Genome_intervals-class), 7

size, Genome_intervals-method
(Genome_intervals-class), 7

strand
(Genome_intervals_stranded-class),
9

strand, Genome_intervals_stranded-method
(Genome_intervals_stranded-class),
9

strand<-
(Genome_intervals_stranded-class),
9

strand<-, Genome_intervals_stranded-method
(Genome_intervals_stranded-class),
9

structure, 8, 10

type<-, Genome_intervals-method
(Genome_intervals-class), 7

validObject, 13

vector, 8, 10